From Flat to Foam

The Joys and Terrors of Draft Beer at Home

Ray Daniels









Faucet









Faucet ► Shank ► Shank Nut ► Hose barb ► Hose




















Pouring Draft Beer

Goals:

- Beer Flow of 2 oz/second, ~
 1 gal/minute
- Proper carbonation & head
- Without foaming or waste!



Pouring Draft Beer

Beer from the faucet

Should look like

Beer from a bottle!



Pouring Perfect Draft



ABCs of Draft Success:

- Accurate Carbonation
- Balanced System
- Clean Glassware
- Dispense Technique
- Effective Cleaning



- Chill beer for 24-hours
- Check temp: glass in fridge
- Read the chart ...



Table 1. Determination of CO₂ application pressure given volumes of CO₂ and temperature

Vol. CO ₂	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0	3.1
Temp. °F	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI
33	5.0	6.0	6.9	7.9	8.8	9.8	10.7	11.7	12.6	13.6	14.5
34	5.2	6.2	7.2	8.1	9.1	10.1	11.1	12.0	13.0	14.0	15.0
35	5.6	6.6	7.6	8.6	9.7	10.7	11.7	12.7	13.7	14.8	15.8
36	6.1	7.1	8.2	9.2	10.2	11.3	12.3	13.4	14.4	15.5	16.5
37	6.6	7.6	8.7	9.8	10.8	11.9	12.9	14.0	15.1	16.1	17.2
38	7.0	8.1	9.2	10.3	11.3	12.4	13.5	14.5	15.6	16.7	17.8
39	7.6	8.7	9.8	10.8	11.9	13.0	14.1	15.2	16.3	17.4	18.5
40	8.0	9.1	10.2	11.3	12.4	13.5	14.6	15.7	16.8	17.9	19.0
41	8.3	9.4	10.6	11.7	12.8	13.9	15.1	16.2	17.3	18.4	19.5
42	8.8	9.9	11.0	12.2	13.3	14.4	15.6	16.7	17.8	19.0	20.1

[•]Chart assumes sea- level altitudes. Add 1psi for every 2,000ft. above sea level.

Table 1. Determination of CO₂ application pressure given volumes of CO₂ and temperature

Vol. CO ₂	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0	3.1
Temp. °F	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI
33	5.0	6.0	6.9	7.9	8.8	9.8	10.7	11.7	12.6	13.6	14.5
34	5.2	6.2	7.2	8.1	9.1	10.1	11.1	12.0	13.0	14.0	15.0
35	5.6	6.6	7.6	8.6	9.7	10.7	11.7	12.7	13.7	14.8	15.8
36	6.1	7.1	8.2	9.2	10.2	11.3	12.3	13.4	14.4	15.5	16.5
37	6.6	7.6	8.7	9.8	10.8	11.9	12.9	14.0	15.1	16.1	17.2
38	7.0	8.1	9.2	10.3	11.3	12.4	13.5	14.5	15.6	16.7	17.8
39	7.6	8.7	9.8	10.8	11.9	13.0	14.1	15.2	16.3	17.4	18.5
40	8.0	9.1	10.2	11.3	12.4	13.5	14.6	15.7	16.8	17.9	19.0
41	8.3	9.4	10.6	11.7	12.8	13.9	15.1	16.2	17.3	18.4	19.5
42	8.8	9.9	11.0	12.2	13.3	14.4	15.6	16.7	17.8	19.0	20.1

[•]Chart assumes sea- level altitudes. Add 1psi for every 2,000ft. above sea level.

- Apply CO₂ to downtube
- Shake, Rattle, Roll ...
 - Or just be patient!

Result:

 Beer carbonated to a known level in volumes of CO₂



Finally:

 Maintain carbonation level throughout dispense.

Table 1. Determination of CO₂ application pressure given volumes of CO₂ and temperature

How?

Vol. CO ₂	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0	3.1
Temp. °F	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI	PSI
33	5.0	6.0	6.9	7.9	8.8	9.8	10.7	11.7	12.6	13.6	14.5
34	5.2	6.2	7.2	8.1	9.1	10.1	11.1	12.0	13.0	14.0	15.0
35	5.6	6.6	7.6	8.6	9.7	10.7	11.7	12.7	13.7	14.8	15.8
36	6.1	7.1	8.2	9.2	10.2	11.3	12.3	13.4	14.4	15.5	16.5
37	6.6	7.6	8.7	9.8	10.8	11.9	12.9	14.0	15.1	16.1	17.2
38	7.0	8.1	9.2	10.3	11.3	12.4	13.5	14.5	15.6	16.7	17.8
39	7.6	8.7	9.8	10.8	11.9	13.0	14.1	15.2	16.3	17.4	18.5
40	8.0	9.1	10.2	11.3	12.4	13.5	14.6	15.7	16.8	17.9	19.0
41	8.3	9.4	10.6	11.7	12.8	13.9	15.1	16.2	17.3	18.4	19.5
42	8.8	9.9	11.0	12.2	13.3	14.4	15.6	16.7	17.8	19.0	20.1

[•]Chart assumes sea- level altitudes. Add 1psi for every 2,000ft. above sea level.



Balanced System

System Balance

What happens when a draught system is out of balance?

The beer foams!

 Over pressure & under pressure give same results!



Balanced System

Resistance = Applied Pressure

(at a specific temperature)



Resistance = Applied Pressure (at a specific temperature)

Applied pressure = Gas pressure



Resistance = Applied Pressure

(at a specific temperature)

- Resistance
 - Beer Lines
 - Elevation Change (uphill)



Balanced System

When liquid flows through a

tube ...

Friction at surface slows the beer.



This friction is known as resistance.

Balanced System

How Much Resistance in Beer Lines?

resistance

Type Vinyl Vinyl	size (id) 3/16" 1/4"	(psi/ft) 3.00 0.85
Polyethylene	3/16"	2.20
Polyethylene	1/4"	0.50



Resistance = Applied Pressure

(at a specific temperature)

- Resistance
 - Beer Lines
 - Elevation Change (uphill)



Balanced System

What pressure should be applied to your keg?

 The pressure needed to MAINTAIN the carbonation level!



Direct Draw System

 12-15 psi needed to maintain carbonation

4-5 feet of 3/16" i.d.vinyl tubing (3# / ft)





3/16" vinyl tubing

- 3 lb / ft resistance
- For 12 psi system
- -12/3 = 4 feet of hose

1/4" vinyl tubing

- 0.85 lb / ft resistance
- For 12 psi system
- 12/0.85 = 14 feet of hose





Toss Out!

- Beer hose greater than 3/16" internal diameter!
- Tell your homebrew store to buy the right stuff!



Beer Clean Glass

• Beer Clean: free of residue

No bubbles cling to sides!


 Non-petroleum-based detergent

 Don't wash beer glasses with your regular dishes!



Beer Clean Glass

- Testing for Beer Clean
- Water sheets off, does not spot
- Salt test:
 - Wet and shake
 - Salt should adhere everywhere





Draught System Cleaning

- Frequency
 - Every two weeks with caustic
 - Every eight weeks with acid
- Caustic strength ≥ 2%
- Recirculation for 15 mins
- Rinse with Water, not Beer
- Manually Clean Faucets, Couplers, FOBs



Draught System Cleaning

- Homebrew Systems
 - After every use?
 - At the end of every keg, at least!
 - Caustic is good
 - Take stuff apart!
 - Replace hose when it stops looking brand new!



Resources

- Micromatic
 - Website (micromatic.com)
 - Classes (\$)

- Brewers Association (soon)
 - PDF/Web





- Five Areas of Knowledge
 - Beer Storage, Sales and Service
 - Beer Styles and Culture
 - Beer Tasting and Flavors
 - Brewing Ingredients and Processes
 - Pairing Beer with Food





- Three Levels of Certification
 - Certified Beer Server
 - Certified Ciceronetm
 - Master Ciceronetm

More at: www.cicerone.org

